## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	292	712/213.cdls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:01
L14	512	712/210.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:13
L15	16	"5852741"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:21
L16	25	"5787302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:23
L17	10	"5862398"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:24
L18	26	"5826054"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:24
L19	38	"5878267"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:27

L20	9	"6704859"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:28
L21	512	712/210.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 12:29
S1	8	"5027272"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 12:50
S2	357	712/24.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 13:39
S3	101	712/24.ccls. AND \$2compress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 13:40
S4	334	712/24.ccls. AND (following)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 13:49
S5	81	712/24.ccls. AND (variable NEAR3 length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:29
S6	184	mask\$3 NEAR5 (next OR subsequent OR following) NEAR2 (instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:33

<b>S</b> 7	316	field NEAR5 (next OR subsequent OR following) (instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:37
S8	187	"712".clas. AND field NEAR5 (next OR subsequent OR following) (instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:37
S9	664	"712".clas. AND bit NEAR5 (next OR subsequent OR following) (instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:41
S10	19	"712".clas. AND bit NEAR6 mode NEAR5 (next OR subsequent OR following) (instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:41
S11	161	"712".clas. AND mode NEAR5 (next OR subsequent OR following) (instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:43
S12	252	"712/43".ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:45
S13	6	"712/43".ccls. AND instruction field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:47
S14	76	"712/43".ccls. AND (subsequent OR future OR next OR later) instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:48

S15	78	field NEAR3 (previous OR preced\$3) instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 16:50
S16	34	("4176394"   "4200927"   "4370711"   "4471433"   "4477872"   "4764861").PN. OR ("4858104").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/18 16:54
S17	20	("4044338"   "4453212"   "4807115"   "4858105"   "4928223"   "5053631"   "5058048"   "5129067"   "5136697"   "5226126"   "5226130"   "5442760"   "5689672"   "5752259"   "5796973"   "5845102").PN. OR ("5933629").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/18 17:18
S18	5	"6009513"	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/18 17:21
S19	24	("4044338"   "4453212"   "4587612"   "4807115"   "4807857"   "4858105"   "4928223"   "5053631"   "5058048"   "5129067"   "5136697"   "5226126"   "5226130"   "5299318"   "5442760"   "5623619"   "5689672"   "5752259"   "5796973"   "5845102"   "5920710").PN. OR ("6009513").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/18 17:21
S20	3	"6192468"	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/18 17:24
S21	25	("4044338"   "4087857"   "4453212"   "4587612"   "4807115"   "4858105"   "4928223"   "5053631"   "5058048"   "5129067"   "5136697"   "5212693"   "5226126"   "5226130"   "5299318"   "5442760"   "5623619"   "5689672"   "5752259"   "5765007"   "5796973"   "5845102"   "5920710").PN. OR ("6192468").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/18 17:24

S22	6	append\$4 NEAR6 (previous OR preced\$3) instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:27
S23	62	field NEAR9 (previous OR preced\$3) (instruction OR microinstruction) NOT S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:28
S24	6718	(previous OR preced\$3) (instruction OR microinstruction) NOT S15 NOT S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:38
S25	359	(control OR mode) NEAR8 (previous OR preced\$3) (instruction OR microinstruction) NOT S15 NOT S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:38
S26	37	(mode) NEAR8 (previous OR preced\$3) (instruction OR microinstruction) NOT S15 NOT S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:39
S27	194	"712".clas. AND (control OR mode) NEAR8 (previous OR preced\$3) (instruction OR microinstruction) NOT S15 NOT S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:41
S28	168	"712".clas. AND (control OR mode) NEAR8 (previous OR preced\$3) (instruction OR microinstruction) NOT S15 NOT S23 NOT S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/18 17:41
S29	77	"5179680"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 08:30

S30	80	"5057837"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 08:31
S31	22	"5500942"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 09:34
S32	7	"4661925"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 10:09
S33	8	"4825356"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 10:12
S34	30	"4858104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 10:15
S35	8	"5933629"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 10:40
S36	9	"6704859"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 11:15
S37	80	"5057837"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 12:26

S38	8	(VLIW OR liw) NEAR15 mask \$3 NEAR15 compress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 15:39
<b>S</b> 39	87	("3694813"   "3805254"   "4064559"   "4327379"   "4371951"   "4400791"   "4433377"   "4437149"   "4464650"   "4494151"   "4545032"   "4593267"   "4644545").PN. OR ("5057837").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 15:40
S40	31	(VLIW AND compress\$3). ab.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 15:49
S41	4	(VLIW AND compact\$3).ab.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 15:58
S42	15	"5870576"	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 16:01
S43	131	VLIW AND decompress\$3 NEAR5 decod\$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 16:11
S44	169	VLIW AND decompress\$3 NEAR15 decod\$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 16:12
S45	18	(variable NEAR5 length OR variable-length) NEAR10 mask\$3 NEAR10 instruction	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 16:14
S46	0	okuma.in. AND tomiyama.in.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 16:29
S47	9	area minimization NEAR10 encod\$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 16:29
S48	187	"712".clas. AND instruction NEAR3 (\$2compact\$3 OR \$2compress\$3) NEAR10 decod\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 16:39
S49	68	"712".clas. AND program NEAR3 (\$2compact\$3 OR \$2compress\$3) NEAR10 decod\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 16:48
S50	9	"6704859"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 16:49

S51	44	("4402044"   "4694391"   "4839649"   "4868570"   "4890249"   "5155484"   "5299519"   "5303356"   "5307173"   "5463746"   "5481364").PN. OR ("5632024").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/22 17:00
S52	68	"712".clas. AND pipelin\$3 NEAR15 (\$2compact\$3 OR \$2compress\$3) NEAR15 decod\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 17:34
S53	27	"712".clas. AND instruction NEAR3 (\$2compact\$3 OR \$2compress\$3) NEAR10 subsequent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 17:46
<b>S</b> 55	297	"712".clas. AND (field OR parameter OR mode) NEAR3 (subsequent OR next OR following) NEAr4 instruction AND @ad<="19960515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 17:48
S56	21	"712".clas. AND instruction NEAR3 (\$2compact\$3 OR \$2compress\$3) NEAR10 preced\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 17:50
<b>S</b> 57	22	"712".clas. AND instruction NEAR13 (\$2compact\$3 OR \$2compress\$3) NEAR10 preced\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 17:50
S58	182	pipelin\$3 NEAR5 subsequent instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:01
S59	1	pipelin\$3 NEAR5 subsequent instruction NEAR10 field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:01

S60	253	"712".clas. AND (tag) NEAR3 (subsequent OR next OR following OR future) NEAr4 instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:04
S61	0	pipelin\$3 NEAR5 early predicat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:04
S62	2	early predicat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:04
S63	106	early NEAr4 predicat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:05
S64	58	field NEAR5 previous instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:05
S65	1301	field NEAR4 (preced\$3 OR before OR previous) NEAR4 (instruction OR operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:12
S66	233	"712".clas. AND field NEAR4 (preced\$3 OR before OR previous) NEAR4 (instruction OR operation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/22 18:13
S67	0	(\$2compress\$3 OR \$2compact\$3) NEAE2 (operand OR argument OR append\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 08:07

S68	4595	(\$2compress\$3 OR \$2compact\$3) NEAR2 (operand OR argument OR append\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/23 08:07
S69	119	"712".clas. AND (\$2compress \$3 OR \$2compact\$3) NEAR2 (operand OR argument OR append\$3)	USPAT;	ADJ	ON	2008/09/23 08:07

9/23/2008 2:33:45 PM

C:\ Documents and Settings\ kvicary\ My Documents\ EAST\ Workspaces\ 10762863.wsp